


BRICK GRABBER



SAE 01
FORKLIFT - ARM REGULAR
PRICE : 4.5 L - EX-WORKS



SAE 02
FORKLIFT - ARM HIGHLIFT
PRICE : 4.95 L - EX-WORKS



SAE 03
FORLIFT - FRAME HIGHLIFT
PRICE : 5.5 L - EX-WORKS



SAE 04
CRANE - REGULAR
PRICE : 4.5 L - EX-WORKS

ADSA Machines

7397752334 / 9698950229

adsamachines@gmail.com

www.adsamachines.com

Office

1406, Venkatasamy Naidu Lane
Trichy Road, Coimbatore - 641018
Tamil Nadu. India

Works

SF 147/3, Selakarichal
Sulur, Coimbatore - 641658
Tamilnadu. India

BRICK GRABBER

FORKLIFT - ARM REGULAR

SAE-01



FORKLIFT ARM MOUNTED PARALLEL TYPE BRICK GRABBER

- Forklift Arm Direct Mounted
- Lightweight Structure
- Parallel Functioning Arms
- All in One 360° Rotator
- Ocilating Rotator for Long Strutural Life



**Price :
4.5 Lakhs
Ex Works**



MODEL	GRIPPING WIDTH Min – Max (mm)	LOAD CAPACITY (Kg)	DIMENSIONS (L x W x H) mm	SELF WEIGHT (Kgs) Approx.
SAE 01	400 - 1400	2000	1100 x 920 x 1300	400

Versatility: Capable of handling both palletized and non-palletized materials with ease.

Rigid: Equipped with hydraulic parallel gripping arms that provide a strong, secure hold.

Handling Range: Min 400 to Max 1400 mm (15 to 55 inches) opening range, making it suitable for a wide variety of applications.

Safety: Incorporates a check valve and a pressure relief valve for safe operation.

Quality: Constructed from high-quality, long-lasting materials to ensure durability.

Use: Features replaceable insert-type rubber pads on the gripping arms for extended service life.



7397752334 / 9698950229
www.adsamachines.com

1406, Venkatasamy Naidu Lane
Trichy Road, Coimbatore - 641018
Tamil Nadu. India
Email:adsamachines@gmail.com

BRICK GRABBER
FORKLIFT - ARM HIGHLIFT
SAE-02



FORKLIFT ARM MOUNTED - HIGH LIFTING TYPE
PARALLEL TYPE BRICK GRABBER

- Forklift Arm Direct Mounted
- Parallel Functioning Arms
- Quick Removable Mounting Type for Multiuse of Forklifts
- Lightweight Structure to Protect Forklift Mast Life.



- All in One 360° Rotator
- Robust Hydraulic Sytems
- Smooth Rotation & Open/Close Operations
- Fixed Rotator with Bracket for Precision & Quicker Operations



Price :
4.95 Lakhs
Ex Works



MODEL	GRIPPING LENGTH Min – Max (mm)	LOAD CAPACITY (Kg)	DIMENSIONS (L x W x H) mm	SELF WEIGHT (Kgs) Approx.
SAE 03	400 - 1400	2000	1600 X 920 X 1875	500

- **Increased Clearance:** High-lift design provides greater ground clearance for easier navigation over rough terrain and around tall containers.
- **Handling Range:** Opening range of 400 to 1400 mm (15 to 55 inches), accommodating a wide variety of load sizes and applications.
- **Improved Visibility:** Elevated arm positioning offers enhanced visibility during loading and unloading for more precise material placement.
- **Increased Productivity:** Higher lift heights enable faster cycle times and more efficient stacking, resulting in greater throughput.
- **Improved Safety:** Better operator visibility and greater mechanical stability substantially reduce the risk of workplace accidents.
- **Versatility:** Ideally suited for warehousing, construction sites, and general material handling tasks.



7397752334 / 9698950229
www.adsamachines.com

1406, Venkatasamy Naidu Lane
Trichy Road, Coimbatore - 641018
Tamil Nadu. India
Email:adsamachines@gmail.com

BRICK GRABBER

FORKLIFT - FRAME HIGHLIFT
SAE-03



FORKLIFT CARRIAGE FRAME MOUNTED - HIGH LIFTING TYPE PARALLEL TYPE BRICK GRABBER

HIGH LIFT

No working height loss. The carriage mounted frame lifts in parallel with the forklift mast to use the full working height of the forklift. This ensures precise handling and high level stacking of the bricks, helping to optimise the storage and workflow.

HYDRAULIC ROTATOR

Features all in one rotator with robust hydraulic systems to ensure smoother 360° rotation and open close functions.



Price :
5.5 Lakhs
Ex Works

MODEL	GRIPPING WIDTH Min – Max (mm)	LIFTING CAPACITY (Kg)	DIMENSIONS (L x W x H) mm	SELF WEIGHT (Kgs) Approx.
SAE 03	400 - 1400	1200	1600 x 920 x 1875	720

- Increased Clearance: The high-lift design enables easier navigation over rough terrain and around tall containers.
- Handling Range: With an opening range of 400 to 1400 mm (15 to 55 inches), the grabber accommodates a wide variety of applications.
- Improved Visibility: Operators benefit from enhanced visibility during loading and unloading operations.
- Increased Productivity: Higher lift heights allow for faster and more efficient operations.
- Improved Safety: Better visibility and greater stability significantly reduce the risk of accidents.
- Versatility: This model is well suited for warehousing, construction, and general material handling tasks.



7397752334 / 9698950229
www.adsamachines.com

1406, Venkatasamy Naidu Lane
Trichy Road, Coimbatore - 641018
Tamil Nadu, India
Email:adsamachines@gmail.com

CRANE BRICK GRABBER

CRANE - REGULAR
SAE-04



REGULAR PARALLEL TYPE BRICK GRABBER FOR TRUCK MOUNTED CRANE



HYDRAULIC ROTATOR

Features all in one Rotator with robust hydraulic systems to ensure smoother 360° rotation and open close functions.

**Price :
4.5 Lakhs
Ex Works**



MODEL	GRIPPING WIDTH Min – Max (mm)	LIFTING CAPACITY (Kg)	DIMENSIONS (L x W x H) mm	SELF WEIGHT (Kgs) Approx.
SAE 04	400 - 1400	2000	1600 x 920 x 1875	400

- Increased Clearance: The high-lift design enables easier navigation over rough terrain and around tall containers.
- Handling Range: With an opening range of 400 to 1400 mm (15 to 55 inches), the grabber accommodates a wide variety of applications.
- Improved Visibility: Operators benefit from enhanced visibility during loading and unloading operations.
- Increased Productivity: Higher lift heights allow for faster and more efficient operations.
- Improved Safety: Better visibility and greater stability significantly reduce the risk of accidents.
- Versatility: This model is well suited for warehousing, construction, and general material handling tasks.



7397752334 / 9698950229
www.adsamachines.com

1406, Venkatasamy Naidu Lane
Trichy Road, Coimbatore - 641018
Tamil Nadu, India
Email:adsamachines@gmail.com